

Bezeichnung			Theoretischer Lagerstand
Doppelnippel BSP 60°			Cr 6 frei
		1/8 x 1/8	35
		1/8 x 1/4	
		1/8 x 3/8	5
		1/4 x 1/4	18
		1/4 x 3/8	5
		1/4 x 1/2	
		3/8 x 3/8	9
		3/8 x 1/2	
		1/2 x 1/2	25
		1" x 1"	

Kisterl Stk. Type
 2 LF 511GZW

Bezeichnung			Theoretischer Lagerstand
EW Winkeladapter BSP 60°			Cr 6 frei
		Außen / Innengewinde	
		1/8"	3
		1/4"	15
		3/8"	8
		1/2"	4

	Stk.	Type
Kisterl	1	LF 511GZW

Bezeichnung			Theoretischer Lagerstand
<u>Usit - Stahlring NBR</u>			
Usit 02		1/8"	20
Usit 04		1/4"	7
Usit 06		3/8"	40
Usit 08		1/2"	10
Usit 12		3/4"	35
Usit 16		1 "	
Usit 20		1 1/4"	
Usit 24		1 1/2 "	

	Stk.	Type
Kisterl	1	Kisterl

Bezeichnung			Theoretischer Lagerstand
Aufschraubadapter - E 45°			Cr 6 frei
	Ausengewinde A	Innengewinde - Mutter B	
	Zöllig		
	1 / 8	1 / 8	
	1 / 4	1 / 4	
	3/8	3 / 8	6
Aufschraubadapter - EGE			Cr 6 frei
EGE	3/8	3/8	2

Stk.

Type

Kisterl

1

LF 511GZW