

Bezeichnung			Theoretischer Lagerstand
Gerade - Verschraubung m. 1620 Messkupplung GMA 3			
2103-11-	06.00	Leichte - Reihe	
	08.00		
	10.00		
	12.00		5
	15.00		
	18.00		3
	22.00		
	28.00		
	35.00		
	42.00		
2103 - 12-	06.00	Schwere - Reihe	
	08.00		2
	10.00		5
	12.00		6
	16.00		12
	20.00		
	25.00		
	30.00		
	38.00		

	Stk.	Type
Kisterl	2	LF 511GZW

Bezeichnung			Theoretischer Lagerstand...
DKO m. 1620 Messkupplung			
2103-93-	06.00	Leichte - Reihe	
	08.00		
	10.00		3
	12.00		5
	15.00		
	18.00		
	22.00		
	28.00		
	35.00		
	42.00		
2103 - 94-	06.00	Schwere - Reihe	
	08.00		5
	10.00		6
	12.00		7
	16.00		3
2103-41-	20.00		6
	25.00		
	30.00		
	38.00		

	Stk.	Type
Kisterl	3	LF 511GZW

Bezeichnung			Theoretischer Lagerstand
Messschläuche DN 2			
S 100-AC-AC-		40 mPa	
	0030		2
	0063		
	0100		4
	0150		6
	0200		1
	0250		1
	0320		1
S 110-AC-AC-		63 mPa	
	0050		
	0063		
	0800		1
	0100		7
	0125		
	0150		
	0200		5
	0320		

[illegible]

Bezeichnung			Theoretischer Lagerstand...
Manometeranschluß f. Schottwand			
2103 - 05 - 01.00	1620-1/4	ISO 228 - G 1/4"	
m.Kupferring			
2103 - 05 - 11.00	1620-1/4	ISO 228 - G 1/4"	9
m.O-Ring			
2103 - 05 - 02.00	1620-1/2	ISO 228 - G 1/4"	
2103 - 05 - 23.00	1620-1/4NPT	1/4" NPT	
ohne Rückschlagventil			
Schwenkverschraubung R 1/4 - R 1/4			
2115 - 24-00.00		ohne Schraubkupplung	8
Minnimess - Direktansschluß			
2103-07-11.63N	1/4"		1
2103-07-12.65N	1/2"		2

	Stk.	Type
Kisterl	2	LF 511GZW

Bezeichnung			Theoretischer Lagerstand...
Einstellbarer Manometer Aufschraubstutzen			
E MASD	06.00	Leichte - Reihe	3
GKN	08.00		
	10.00		
	12.00		
	06.00	Schwere - Reihe	20
	08.00	f. 1/2"	8
	10.00		
	12.00		
Manometer Aufschraubstutzen MAV			
MAV	06.00	Leichte - Reihe	
GKN	08.00		5
	10.00		
	12.00		
	06.00	Schwere - Reihe	
	08.00	f. 1/2"	8
	10.00		
	12.00		
	Stk.	Type	
Kisterl	2	LF 511GZW	